

研究業績目録 (2023,10)

原著論文 (original papers)

1. Matsuoka, T.; Hattori, A.; Oishi, S.; Araki, M.; Ma, B.; Fujii, T.; Arichi, N.; Okuno, Y.; Kakeya, H.; Yamasaki, S.; Ohno, H.; Inuki, S. Establishment of an MR1-Presentation Reporter Screening System and Identification of Phenylpropanoid Derivatives as MR1 Ligands. *J. Med. Chem.* **2023**, *66*, 12520–12535.
2. Oka, S.; Watanabe, M.; Ito, E.; Takeyama, A.; Matsuoka, T.; Takahashi, M.; Izumi, Y.; Arichi, N.; Ohno, H.; Yamasaki, S.; Inuki, S. Archaeal Glycerolipids Are Recognized by C-type Lectin Receptor Mincle. *J. Am. Chem. Soc.* **2023**, *145*, 18538–18548.
3. Yoshida, Y.; Takeuchi, H.; Nakagawa, K.; Fujii, T.; Arichi, N.; Oishi, S.; Ohno, H.; Inuki, S. Construction of a Bicyclo[2.2.2]octene Skeleton via a Visible-Light-Mediated Radical Cascade Reaction of Amino Acid Derivatives with *N*-(2-Phenyl)benzoyl Groups. *Org. Lett.* **2023**, *25*, 4846–4851.
4. Aoki, K.; Manabe, A.; Kimura, H.; Katoh, Y.; Inuki, S.; Ohno, H.; Nonaka, M.; Oishi, S. Mirror-Image Single-Domain Antibody for a Novel Non-immunogenic Drug Scaffold. *Bioconjug. Chem.* **2023**, *34*, in press.
5. Iwamoto, N.; Sato, Y.; Manabe, A.; Inuki, S.; Ohno, H.; Nonaka, M.; Oishi, S. Design and Synthesis of Monobody Variants with Low Immunogenicity. *ACS Med. Chem. Lett.* **2023**, *14*, in press.
6. Suzuki, R.; Mattos, D. R.; Kitamura, T.; Tsujioka, R.; Kobayashi, K.; Inuki, S.; Ohno, H.; Ishmael, J. E.; McPhail, K. L.; Oishi, S. Design of Synthetic Surrogates for the Macrolactone Linker Motif in Coibamide A. *ACS Med. Chem. Lett.* **2023**, *14*, 1344–1350.
7. Tsuno, H.; Shen, J.; Komatsu, H.; Arichi, N.; Inuki, S.; Ohno, H. Gold(I)-Catalyzed Bis-Cyclization of Allenynes for the Synthesis of Strained and Planar Polycyclic Compounds. *Angew. Chem., Int. Ed.* **2023**, *62*, e202307532.
8. Greiner, L. C.; Arichi, N.; Inuki, S.; Ohno, H. Alkoxymigration onto α -Imino Gold Carbenes for Constructing Propellane-Type Indolines. *Asian J. Org. Chem.* **2023**, *12*, e202300232.
9. Tsuji, A.; Masuya, T.; Arichi, N.; Inuki, S.; Murai, M.; Miyoshi, H.; Ohno, H. Discovery of Bis-sulfonamides as Novel Inhibitors of Mitochondrial NADH-Quinone Oxidoreductase (Complex I). *ACS Med. Chem. Lett.* **2023**, *13*, 211–216.
10. Greiner, L. C.; Arichi, N.; Inuki, S.; Ohno, H. Gold(I)-Catalyzed Benzylic C(sp³)H Functionalizations: Divergent Synthesis of Indole[*a*]- and [*b*]-Fused Polycycles. *Angew. Chem., Int. Ed.* **2023**, *62*, e202213653.

11. Miyamoto, J; Shimizu, H.; Hisa, K.; Matsuzaki, C.; Inuki, S.; Ando, Y.; Nishida, A.; Izumi, A.; Yamano, M.; Ushiroda, C.; Irie, J.; Katayama, T.; Ohno, H.; Itoh, H.; Yamamoto, K.; Kimura, I. Host metabolic benefits of prebiotic exopolysaccharides produced by *Leuconostoc mesenteroides*. *Gut Microbes* **2023**, *15*, 2161271.
12. Yamamoto, A.; Takahashi, Y.; Inuki, S.; Nakagawa, S.; Nakao, K.; Ohno, H.; Doi, M.; Takakura, Y. The identification of novel small extracellular vesicle (sEV) production modulators using luciferase-based sEV quantification method. *J. Extracell. Biol.* **2022**, *1*, e62.
13. Yagi, M.; Miller, S.; Nagai, Y.; Inuki, S.; Sato, A.; Hirota, T. A methylbenzimidazole derivative regulates mammalian circadian rhythms by targeting Cryptochrome proteins. *F1000Research* **2022**, *11*, 1016.
14. Inuki, S.; Tabuchi, H.; Matsuzaki, C.; Yonejima, Y.; Hisa, K.; Kimura, I.; Yamamoto, K.; Ohno, H. Chemical Synthesis and Evaluation of Exopolysaccharide Fragments Produced by *Leuconostoc mesenteroides* strain NTM048. *Chem. Pharm. Bull.* **2022**, *70*, 155–161.
15. Kitamura, T.; Suzuki, R.; Inuki, S.; Ohno, H.; McPhail, K. L.; Oishi, S. Design of Coibamide A Mimetics with a Simplified Macrocyclic Scaffold: An SAR Study to Improve the Cellular Bioactivity. *ACS Med. Chem. Lett.* **2022**, *13*, 105–110.
16. Komatsu, H.; Ikeuchi, T.; Tsuno, H.; Arichi, N.; Yasui, K.; Oishi, S.; Inuki, S.; Fukazawa, A.; Ohno, H. Construction of Tricyclic Nitrogen Heterocycles by Gold(I)-Catalyzed Cascade Cyclization of Allenynes and Its Application to Polycyclic π -Electron Systems. *Angew. Chem., Int. Ed.* **2021**, *60*, 27019–27025.
17. Greiner, L. C.; Inuki, S.; Arichi, N.; Oishi, S.; Hashmi, A. S. K.; Ohno, H. Access to Benzannulated Indole-Fused Medium-Sized Rings through Gold(I)-Catalyzed Cascade Cyclization of Azido-alkynes. *Chem. Eur. J.* **2021**, *27*, 12992–12997.
18. Matsuoka, T.; Motozono, C.; Hattori, A.; Kakeya, H.; Yamasaki, S.; Oishi, S.; Ohno, H.; Inuki, S. The effects of 5-OP-RU stereochemistry on its stability and MAIT-MR1 axis. *ChemBioChem* **2021**, *22*, 672–678.
19. Yamaguchi, A.; Inuki, S.; Ohta, K.; Oishi, S.; Asai, A.; Ohno, H. Identification of a Novel Indoleamine 2,3-Dioxygenase Inhibitor Bearing an Eight-Membered Ring Fused Indole Scaffold and its Structure Activity Relationship. *Heterocycles* **2021**, *103*, 331–347.
20. Takeuchi, H.; Inuki, S.; Nakagawa, K.; Kawabe, T.; Ichimura, A.; Oishi, S.; Ohno, H. Total Synthesis of Zephyrcarinatines via Photocatalytic Reductive Radical *ipso*-Cyclization. *Angew. Chem., Int. Ed.* **2020**, *59*, 21210–21215.

21. Inuki, S.; Hirata, N.; Kashiwabara, E.; Kishi, J.; Aiba, T.; Teratani, T.; Nakamura, W.; Kojima, Y.; Maruyama, T.; Kanai, T.; Fujimoto, Y. Polar Functional Group-Containing Glycolipid CD1d Ligands Modulate Cytokine-Biasing Responses and Prevent Experimental Colitis. *Sci. Rep.* **2020**, *10*, 15766.
22. Matsuoka, T.; Inuki, S.; Miyagawa, T.; Oishi, S.; Ohno, H. Total Synthesis of (+)-Polyoxamic Acid via Visible-Light-Mediated Photocatalytic β -Scission and 1,5-Hydrogen Atom Transfer of Glucose Derivative. *J. Org. Chem.* **2020**, *85*, 8271–8278.
23. Matsuoka, J.; Inuki, S.; Matsuda, Y.; Miyamoto, Y.; Otani, M.; Oka, M.; Oishi, S.; Ohno, H. Total Synthesis of Dictyodendrins A–F by the Gold-Catalyzed Cascade Cyclization of Conjugated Diyne with Pyrrole. *Chem. Eur. J.* **2020**, *26*, 11150–11157.
24. Kishi, J.; Inuki, S.; Kashiwabara, E.; Suzuki, T.; Dohmae, N.; Fujimoto, Y. Design and Discovery of Covalent α -GalCer Derivatives as Potent CD1d Ligands. *ACS Chem. Biol.* **2020**, *15*, 353–359.
25. Yamaguchi, A.; Inuki, S.; Tokimizu, Y.; Oishi, S.; Ohno, H. Gold(I)-Catalyzed Cascade Cyclization of Anilines with Dienes: Controllable Formation of Eight-Membered Ring-Fused Indoles and Propellane-Type Indolines. *J. Org. Chem.* **2020**, *85*, 2543–2559.
26. Tokunaga, M.; Miyamoto, Y.; Suzuki, T.; Otani, M.; Inuki, S.; Esaki, T.; Nagao, C.; Mizuguchi, K.; Ohno, H.; Yoneda, Y.; Okamoto, T.; Oka, M.; Matsuura, Y. Novel Development of an Anti-Flavivirus Drug Targeting the Nucleolar Distribution of the Core Protein. *Virology* **2020**, *541*, 41–51.
27. Inuki, S.; Sato, K.; Zui, N.; Yamaguchi, R.; Matsumaru, T.; Fujimoto, Y. Synthetic Studies on FNC-RED and Its Analogues Containing an All *syn*-Cyclopentanetetrol Moiety. *J. Org. Chem.* **2019**, *84*, 12680–12685.
28. Miyagawa, T.; Inuki, S.; Oishi, S.; Ohno, H. Construction of Quaternary Carbon Stereocenter of α -Tertiary Amine through Remote C–H Functionalization of Tris Derivatives: Enantioselective Total Synthesis of Myriocin. *Org. Lett.* **2019**, *21*, 5485–5490.
29. Matsuoka, J.; Kumagai, H.; Inuki, S.; Oishi, S.; Ohno, H. Construction of the Pyrrolo[2,3-d]carbazole Core of Spiroindoline Alkaloids by Gold-Catalyzed Cascade Cyclization of Ynamide. *J. Org. Chem.* **2019**, *84*, 9358–9363.
30. Ikeuchi, T.; Inuki, S.; Oishi, S.; Ohno, H. Gold(I)-Catalyzed Cascade Cyclization Reactions of Allenynes for the Synthesis of Fused Cyclopropanes and Acenaphthenes. *Angew. Chem., Int. Ed.* **2019**, *58*, 7792–7796.

31. Yamamoto, K.; Inuki, S.; Ohno, H.; Oishi, S. Scaffold Hopping of Fused Piperidine-Type NK3 Receptor Antagonists to Reduce Environmental Impact. *Bioorg. Med. Chem.* **2019**, *27*, 2019–2026.
32. Kishi, J.; Inuki, S.; Hirata, N.; Kashiwabara, E.; Yoshidome, D.; Ichihara, O.; Fujimoto, Y. Structure-Activity Relationship Studies of Bz Amide-Containing α -GalCer Derivatives as Natural Killer T Cell Modulators. *Bioorg. Med. Chem. Lett.* **2019**, *29*, 970–973.
33. Yamamoto, K.; Yoshikawa, Y.; Ohue, M.; Inuki, S.; Ohno, H.; Oishi, S. Synthesis of Triazolo- and Oxadiazolopiperazines by Gold(I)-Catalyzed Domino Cyclization: Application to the Design of a Mitogen Activated Protein (MAP) Kinase Inhibitor. *Org. Lett.* **2019**, *21*, 373–377.
34. Kawada, Y.; Ohmura, S.; Kobayashi, M.; Nojo, W.; Kondo, M.; Matsuda, Y.; Matsuoka, J.; Inuki, S.; Oishi, S.; Wang, C.; Saito, T.; Uchiyama, M.; Suzuki, T.; Ohno, H. Direct Synthesis of Aryl-Annulated [c]Carbazoles by Gold(I)-Catalysed Cascade Reaction of Azide-Diynes and Arenes. *Chem. Sci.* **2018**, *9*, 8416–8425.
35. Inuki, S.; Miyagawa, T.; Oishi, S.; Ohno, H. Introduction of a Polar Functional Group to the Lipid Tail of 4-*epi*-Jaspine B Affects Sphingosine Kinase Isoform Selectivity. *Chem. Pharm. Bull.* **2018**, *66*, 866–872.
36. Hamada, N.; Yamaguchi, A.; Inuki, S.; Oishi, S.; Ohno, H. Gold(I)-Catalyzed Oxidative Cascade Cyclization of 1,4-Diyn-3-ones for the Construction of Tropone-Fused Furan Scaffolds. *Org. Lett.* **2018**, *20*, 4401–4405.
37. Inuki, S.; Kashiwabara, E.; Hirata, N.; Kishi, J.; Nabika, E.; Fujimoto, Y. Potent Th2 Cytokine-Bias of Natural Killer T Cell by CD1d Glycolipid Ligands Based on “Anchoring Effect” of Polar Groups in Their Lipid Component. *Angew. Chem., Int. Ed.* **2018**, *57*, 9655–9659.
38. Arai, Y.; Yokoyama, K.; Feng, Q.; Kawahara, Y.; Ohta, I.; Shimoyama, A.; Inuki, S.; Fukase, K.; Kabayama, K.; Fujimoto, Y. Time-lapse Monitoring of Toll-like Receptor 2 (TLR2) Ligand Internalization with Fluorescence Live-cell Imaging. *Org. Biomol. Chem.* **2018**, *16*, 3824–3830.
39. Kobayashi, Y.; Hoshino, M.; Kameda, T.; Kobayashi, K.; Akaji, K.; Inuki, S.; Ohno, H.; Oishi, S. Use of a Compact Tripodal Tris(bipyridine) Ligand to Stabilize a Single-Metal-Centered Chirality: Stereoselective Coordination of Iron(II) and Ruthenium(II) on a Semirigid Hexapeptide Macrocyclic. *Inorg. Chem.* **2018**, *57*, 5475–5485.
40. Arai, Y.; Inuki, S.; Fujimoto, Y. Site-Specific Effect of Polar Functional Group Modification in Lipids of TLR2 Ligands for Modulating the Ligand Immunostimulatory Activity. *Bioorg. Med. Chem. Lett.* **2018**, *28*, 1638–1641.
41. Miyagawa, T.; Inuki, S.; Honda, M.; Nakamura, S.; Nakanishi, I.; Fujii, N.; Oishi, S.; Ohno, H. Synthesis of

Jaspine B Regioisomers through Palladium-Catalyzed Stereoselective Tetrahydrofuran Formation: Insight into the Ligand Recognition of Sphingosine Kinases. *Tetrahedron* **2018**, *74*, 1802–1809.

42. Kaneda, M.; Inuki, S.; Ohno, H.; Oishi, S. Total Synthesis and Stereochemical Revision of Stereocalpin A: Mirror-Image Approach for Stereochemical Assignments of the Peptide-Polyketide Macrocyclic. *J. Org. Chem.* **2018**, *83*, 3047–3060.
43. Inuki, S.; Kishi, J.; Kashiwabara, E.; Aiba, T.; Fujimoto, Y. Convergent Synthesis of Digalactosyl Diacylglycerols. *Org. Lett.* **2017**, *19*, 6482–6485.
44. Wang, Q.; Marchetti, R.; Pristic, S.; Ishii, K.; Arai, Y.; Ohta, I.; Inuki, S.; Uchiyama, S.; Silipo, A.; Molinaro, A.; Husson, R. N.; Fukase, K.; Fujimoto, Y. A Comprehensive Study of Interaction between Peptidoglycan Fragments and Extracellular Domain of *Mycobacterium tuberculosis* Ser/Thr Kinase PknB. *ChemBioChem* **2017**, *18*, 2094–2098.
45. Inuki, S.; Ohta, I.; Ishibashi, S.; Takamatsu, M.; Fukase, K.; Fujimoto, Y. Total Synthesis of Cardiolipins Containing Chiral Cyclopropane Fatty Acids. *J. Org. Chem.* **2017**, *82*, 7832–7838.
46. Inuki, S.; Aiba, T.; Kawakami, S.; Akiyama, T.; Inoue, J.; Fujimoto, Y. Chemical Synthesis of D-glycero-D-manno-Heptose 1,7-Bisphosphate and Evaluation of Its Ability to Modulate NF- κ B Activation. *Org. Lett.* **2017**, *19*, 3079–3082.
47. Aiba, T.; Suehara, S.; Choy, S.-L.; Maekawa, Y.; Lotter, H. Murai, T.; Inuki, S.; Fukase, K.; Fujimoto, Y. Employing BINOL-Phosphoroselenoyl Chloride for Selective Inositol Phosphorylation and Chemical Synthesis of Glycosyl Inositol Phospholipid from *Entamoeba histolytica*. *Chem. Eur. J.* **2017**, *23*, 8304–8308.
48. Ohno, H.; Honda, M.; Hamada, N.; Miyagaki, J.; Iwata, A.; Otsuki, K.; Maruyama, T.; Nakamura, S.; Nakanishi, I.; Inuki, S.; Fujii, N.; Oishi, S. Identification of Selective Inhibitors of Sphingosine Kinases 1 and 2 through a Structure-Activity Relationship Study of 4-*epi*-Jaspine B. *Bioorg. Med. Chem.* **2017**, *25*, 3046–3052.
49. Inuki, S.; Sato, K.; Fukuyama, T.; Ryu, I.; Fujimoto, Y. Formal Total Synthesis of L-Ossamine via Decarboxylative Functionalization Using Visible-Light-Mediated Photoredox Catalysis in a Flow System. *J. Org. Chem.* **2017**, *82*, 1248–1253.
50. Shiokawa, Z.; Kashiwabara, E.; Yoshidome, D.; Fukase, K.; Inuki, S.; Fujimoto, Y. Discovery of Novel Scaffold as Indoleamine 2,3-Dioxygenase 1 (IDO1) Inhibitor Based on Pyrrolo-piperazinone Alkaloid, Longamide B. *ChemMedChem*, **2016**, *11*, 2682–2689.

51. Inuki, S.; Aiba, T.; Hirata, N.; Ichihara, O.; Yoshidome, D.; Kita, S.; Maenaka, K.; Fukase, K.; Fujimoto, Y. Isolated Polar Amino Acid Residues Modulate Lipid Binding in the Large Hydrophobic Cavity of CD1d. *ACS Chem. Biol.* **2016**, *11*, 3132–3139.
52. Shiokawa, Z.; Inuki, S.; Fukase, K.; Fujimoto, Y. Efficient Synthesis of (–)-Hanishin, (–)-Longamide B, and (–)-Longamide B Methyl Ester through Piperazinone Formation from 1,2-Cyclic Sulfamidates. *Synlett* **2016**, *27*, 616–620.
53. Inuki, S.; Sato, K.; Fujimoto, Y. Visible-Light-Mediated Decarboxylative Benzoyloxylation of β -Hydroxy Amino Acids and Its Application to Synthesis of Functional 1,2-Amino Alcohol Derivatives. *Tetrahedron Lett.* **2015**, *56*, 5787–5790.
54. Iwata, A.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Convenient Synthesis of Spiroindole Derivatives via Palladium-Catalyzed Cyclization of Propargyl Chlorides. *Tetrahedron* **2015**, *71*, 6580–6585.
55. Iwata, A.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Synthesis of Fused Tetracyclic Spiroindoles via Palladium-Catalyzed Cascade Cyclisation. *Chem. Commun.* **2014**, 298–300.
56. Yoshimitsu, Y.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Palladium-Catalyzed Medium-Ring Formation for Construction of the Core Structure of *Laurencia* Oxacycles: Synthetic Study of Laurendecumallene B. *Org. Lett.* **2013**, *15*, 3046–3049.
57. Yoshimitsu, Y.; Oishi, S.; Miyagaki, J.; Inuki, S.; Ohno, H.; Fujii, N. Pachastrissamine (Jaspine B) and Its Stereoisomers Inhibit Sphingosine Kinases and Atypical Protein Kinase C. *Bioorg. Med. Chem.* **2011**, *19*, 5402–5408.
58. Iwata, A.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Formal Total Synthesis of (+)-Lysergic Acid via Zinc(II)-Mediated Regioselective Ring-Opening Reduction of 2-Alkynyl-3-indolyloxirane. *J. Org. Chem.* **2011**, *76*, 5506–5512.
59. Inuki, S.; Iwata, A.; Oishi, S.; Fujii, N.; Ohno, H. Enantioselective Total Synthesis of (+)-Lysergic Acid, (+)-Lysergol, and (+)-Isolysergol by Palladium-Catalyzed Domino Cyclization of Allenes Bearing Amino and Bromoindolyl Groups. *J. Org. Chem.* **2011**, *76*, 2072–2084.
60. Yoshimitsu, Y.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Stereoselective Divergent Synthesis of Four Diastereomers of Pachastrissamine (Jaspine B). *J. Org. Chem.* **2010**, *75*, 3843–3846.
61. Inuki, S.; Yoshimitsu, Y.; Oishi, S.; Fujii, N.; Ohno, H. Ring-Construction/Stereoselective Functionalization

Cascade: Total Synthesis of Pachastrissamine (Jaspine B) through Palladium-Catalyzed Bis-cyclization of Propargyl Chlorides and Carbonates. *J. Org. Chem.* **2010**, *75*, 3831–3842.

62. Mizuhara, T.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Cu(II)-Mediated Oxidative Intermolecular *ortho* C-H Functionalisation Using Tetrahydropyrimidine as the Directing Group. *Chem. Commun.* **2009**, 3413–3415.
63. Inuki, S.; Yoshimitsu, Y.; Oishi, S.; Fujii, N.; Ohno, H. Ring-Construction/Stereoselective Functionalization Cascade: Total Synthesis of Pachastrissamine (Jaspine B) through Palladium-Catalyzed Bis-cyclization of Bromoallenes. *Org. Lett.* **2009**, *11*, 4478–4481.
64. Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. Total Synthesis of (±)-Lysergic Acid, Lysergol, and Isolysergol by Palladium-Catalyzed Domino Cyclization of Amino Allenes Bearing a Bromoindolyl Group. *Org. Lett.* **2008**, *10*, 5239–5242.
65. Ueda, S.; Kato, M.; Inuki, S.; Ohno, H.; Evans, B.; Wang, Z.; Peiper, S. C.; Izumi, K.; Kodama, E.; Matsuoka, M.; Nagasawa, H.; Oishi, S.; Fujii, N. Identification of Novel Non-Peptide CXCR4 Antagonists by Ligand-Based Design Approach. *Bioorg. Med. Chem. Lett.* **2007**, *18*, 4124–4129.
66. Watanabe, T.; Ueda, S.; Inuki, S.; Oishi, S.; Fujii, N.; Ohno, H. One-Pot Synthesis of Carbazoles by Palladium-Catalyzed N-Arylation and Oxidative Coupling. *Chem. Commun.* **2007**, 4516–4518.

著書、総説 (books and reviews)

1. Inuki, S. Development of Novel Ligands That Modulate Innate-Like T Cells. In *New Tide of Natural Product Chemistry*; Ishikawa, H.; Takayama, H., Eds.; Springer. ISBN: 978-981-99-1713-6. (**2023**)
2. Ueki, K.; Sueyoshi, K.; Inuki, S.; Fujimoto, Y. Chemical Synthesis and Molecular Interaction Analysis of α -Galactosyl Ceramide Derivatives as CD1d Ligands. In *Glycolipids. Methods in Molecular Biology*; Kabayama, K.; Inokuchi, J., Eds.; Humana, New York, NY., **2023**, *2613*, 13–22.
3. 井貫晋輔, 藤本ゆかり 脂質改変型CD1dリガンドの創製, 月刊ファインケミカル **2022**, *51*, 12–17.
4. Inuki, S.; Ohno, H. Total Syntheses of Myriocin, Mycestericins and Sphingofungin E: Sphingosine Analogues Containing a β , β' -Dihydroxy α -Amino Acid Framework. *Chem. Lett.* **2021**, *50*, 1313–1324.
5. Ohno, H.; Inuki, S. Nonbiomimetic Total Synthesis of Indole Alkaloids Using Alkyne-Based Strategies. *Org. Biomol. Chem.* **2021**, *19*, 3551–3568.

6. Greiner, L. C.; Matsuoka, J.; Inuki, S.; Ohno, H. Azido-alkynes in Gold(I)-Catalyzed Indole Syntheses. *Chem. Rec.* **2021**, *21*, 3897–3910.
7. 井貫晋輔, 藤本ゆかり 有機合成化学研究からのワクチン、アジュバント設計—ワクチンアジュバント開発における有機合成化学の貢献と新たな取り組み, *医学のあゆみ* **2021**, *279*, 976–981.
8. Inuki, S. Elucidation of Biological Mechanisms Using Synthetic Natural Products and Their Derivatives. *YAKUGAKU ZASSHI* **2020**, *140*, 455–470.
9. 竝河悦子, 柏原瑛美, 平田菜摘, 井貫晋輔, 藤本ゆかり Th2バイアス型脂質改変CD1dリガンド開発と機能解析, *エンドトキシン・自然免疫研究* **2019**, *22*, 43–48.
10. Inuki, S.; Fujimoto, Y. Total Synthesis of Naturally Occurring Chiral Cyclopropane Fatty Acids and Related Compounds. *Tetrahedron Lett.* **2019**, *60*, 1083–1090.
11. 藤本ゆかり, 井貫晋輔. 細菌由来糖ヘプトース誘導体の合成 –新たに発見された自然免疫活性化機構–, *化学* **2019**, *74*, 68–69.
12. Ohno, H.; Inuki, S. Recent Progress in Palladium-Catalyzed Cascade Cyclizations for Natural Product Synthesis. *Synthesis* **2018**, *50*, 700–710.
13. 井貫晋輔. くすりが効くしくみ –医薬品やその代謝物が自然免疫型T細胞を制御する–, *化学* **2018**, *73*, 59.
14. 井貫晋輔, 相羽俊彦, 平田菜摘, 柏原瑛美, 喜多俊介, 前仲勝実, 深瀬浩一, 藤本ゆかり. エンドトキシン・自然免疫研究 **20** –自然免疫における化学生物学の貢献–, 「糖脂質 α -GalCer を基盤とした脂質改変型 CD1d リガンドの創製研究」, 隅田泰生, 長岡功 監修, 医学図書出版, pp. 64-67, (2017).
15. Inuki, S. Gold-Catalyzed Activation of Glycosyl Donors with Alkyne Moieties for Glycosylation Reaction. *J. Syn. Org. Chem. Jpn.* **2016**, *74*, 69–70.
16. Ohno, H.; Chiba, H.; Inuki, S.; Oishi, S.; Fujii, N. The Synthesis of Alkaloids Using a Transition-Metal-Catalyzed Intramolecular Amination Reaction. *Synlett* **2014**, *25*, 179–192.
17. Inuki, S. Total Synthesis of Bioactive Natural Products by Palladium-Catalyzed Domino Cyclization of Allenes and Related Compounds. Springer. ISBN: 978-4-431-54043-4. (**2011**)

特許

1. 特願 2023-031822 (2023.3.2) 井貫 晋輔、高崎 亮助、松岡 巧朗、大野 浩章 (国立大学法人京都大学)
「化合物、MAIT 細胞賦活剤、ワクチンアジュバント及び医薬組成物」
2. Inuki, S.; Hirata, N.; Kashiwabara, E.; Kishi, J.; Aiba, T.; Fujimoto, Y. Compound or Salt Thereof, Natural Killer T Cell Activator, and Pharmaceutical Composition. WO/2017/163808 (2017).
3. 特許 7026354 (特願 2016-057416) (2016.3.22) 井貫 晋輔、藤本ゆかり、他 (学校法人慶應義塾) 「化合物又はその塩、ナチュラルキラーT 細胞活性化剤、及び医薬組成物」
4. 特許 6114313 Furuyama, H.; Terao, T.; Nakagawa, D.; Tanabe, S.; Kato, T.; Yamamoto, M.; Sekine, S.; Mashiko, T.; Inuki, S.; Ueda, S. Nitrogen-containing Heterocyclic Compound of Salt Thereof. WO/2014/109414 (2014).
5. 特許 5736507 Takasaki, M.; Tsujino, T.; Tanabe, S.; Ookubo, M.; Sato, K.; Hirai, A.; Terada, D.; Inuki, S.; Mizumoto, S. Nitrogen-containing Heterocyclic Compound of Salt Thereof. WO/2013/157540 (2013).